Appliances properties: Stachel-Products Unternehmergesellschaft - Stachel-Feinstaub-Filter Typ HSE 500 HolzSparEinsatz

Master data	
Date of entry	Jun 20, 2022
Manufacturer	Stachel-Products Unternehmergesellschaft
Model	Stachel-Feinstaub-Filter Typ HSE 500 HolzSparEinsatz
Nominal heat output [kW]	10
Declared nominal space heating output [kW]	10.6
Continuous burning appliance	_
Type test standard	DIN EN 13229
Year of testing	2022
Test laboratory	RRF Rhein-Ruhr-Feuerstättenprüfstelle GmbH
Number of test laboratory	2
Number of test report	RRF-29 21 6058

Flue gas values

	Wood	
Flue gas mass flow [g/s]	9.8	
Flue gas mass flow [g/s]	262	
Necessary flue draught [Pa]	12	

Further important characteristics of the appliance	
Suitability for installation to a shared flue ¹⁾	_
Connectivity to the central heating system	_
General technical approval for room sealed operation	—

¹⁾ For unsealed operation it is possible to install the appliances to a shared flue system (please see installation manual).

On behalf of the manufacturer, the HKI Industrieverband e.V. hereby confirms compliance with the respective requirements* in accordance with 1.BImSchV. The type test report of the fireplace has been submitted to the HKI Industrieverband e.V.

* A green check mark with a "1" indicates that the requirements of the 1st BImSchV are fulfilled, a green check mark with a "2" indicates that the 2nd level of the 1st BImSchV is fulfilled. A yellow check mark shows that the transitional regulation of the 1st BImSchV is fulfilled and a red line means that the 1st BImSchV is not fulfilled.

Norm : Inset appliances (with closed firedoor)	Evaluation
0 - 1.BImSchV	Stufe 2
A - Austrian regulation referred to Art 15a B-VG	× .
CH - Swiss clean air act	×
0K - Danish regulation for air pollution from wood burners	×
- Crédit d'impôt à la transition énergétique	7\$
- Italian Decree No. 186	*******

Evaluation

ļ

Evaluation of emission data and efficiency Lignite briquettes

Norm : Inset appliances (wi	th closed firedoor)
-----------------------------	---------------------

D - 1.BImSchV