

Appliances properties: Supra S.A. - Schönbrunn - Marke Worldkamin

Master data		
Date of entry	Feb 26, 2008	
Manufacturer	Supra S.A.	
Model	Schönbrunn	
Product code	Marke Worldkamin	
Nominal heat output [kW]	10	
Continuous burning appliance	_	
Type test standard	DIN 18891	
Year of testing	2001	
Test laboratory	RRF Rhein-Ruhr-Feuerstättenprüfstelle GmbH	
Number of test laboratory	2	
Number of test report	RO-91 01 348	
Flue gas values		
		Wood
Flue gas mass flow [g/s]		9
Flue gas mass flow [g/s]		318

Further important characteristics of the appliance

Suitability for installation to a shared flue 1)

Necessary flue draught [Pa]



11

Connectivity to the central heating system



*A green check mark with a "1" indicates that the requirements of the 1st BImSchV are fulfilled, a green check mark with a "2" indicates that the 2nd level of the 1st BImSchV is fulfilled. A yellow check mark shows that the transitional regulation of the 1st BImSchV is fulfilled and a red line means that the 1st BImSchV is not fulfilled.

General technical approval for room sealed operation

¹⁾ For unsealed operation it is possible to install the appliances to a shared flue system (please see installation manual).

On behalf of the manufacturer, the HKI Industrieverband e.V. hereby confirms compliance with the respective requirements* in accordance with 1.BImSchV. The type test report of the fireplace has

Evaluation of emission data and efficiency Wood

Norm DIN EN 13240 (Intermittent burning): Roomheater with flat-layer firing	Evaluation
D - 1.BImSchV	Stufe 1 Grandfathering
A - Austrian regulation referred to Art 15a B-VG	ļ
CH - Swiss clean air act	✓
OK - Danish regulation for air pollution from wood burners	_
F - Crédit d'impôt à la transition énergétique	✓

Evaluation of emission data and efficiency Lignite briquettes

Norm DIN EN 13240 (Intermittent burning): Roomheater with flat-layer firing	Evaluation
0 - 1.BlmSchV	Grandfathering
- Austrian regulation referred to Art 15a B-VG	_
CH - Swiss clean air act	✓



No symbol means that there are no requirements.

No measuring values are available for this fuel, operation with this fuel is not permitted

Here you will find further information