

Appliances properties: Olsberg GmbH - Olsberg - Telica Compact - 23/598

Master data

Date of entry Jan 31, 2013

Olsberg GmbH - Olsberg Manufacturer

Model Telica Compact

23/598 **Product code** Nominal heat output [kW] 6.5

Continuous burning appliance

DIN EN 13240 Type test standard

Year of testing 2011

RRF Rhein-Ruhr-Feuerstättenprüfstelle GmbH **Test laboratory**

Number of test laboratory

Number of test report RRF - 40 11 2690



Z-43.12-290

Flue gas values


	Wood	
Flue gas mass flow [g/s]	5.5	
Flue gas mass flow [g/s]	275	
Necessary flue draught [Pa]	12	

Further important characteristics of the appliance

Suitability for installation to a shared flue¹⁾

Connectivity to the central heating system

General technical approval for room sealed operation



1) For unsealed operation it is possible to install the appliances to a shared flue system (please see installation manual).

On behalf of the manufacturer, the HKI Industrieverband e.V. hereby confirms compliance with the respective requirements* in accordance with 1.BImSchV. The type test report of the fireplace has been submitted to the HKI Industrieverband e.V.

*A green check mark with a "1" indicates that the requirements of the 1st BImSchV are fulfilled, a green check mark with a "2" indicates that the 2nd level of the 1st BImSchV is fulfilled. A yellow check mark shows that the transitional regulation of the 1st BImSchV is fulfilled and a red line means that the 1st BImSchV is not fulfilled.

Evaluation of emission data and efficiency Wood

Norm DIN EN 13240 (Intermittent burning): Roomheater with flat-layer firing	Evaluation
D - 1.BlmSchV	Stufe 2
A - Austrian regulation referred to Art 15a B-VG	2015
CH - Swiss clean air act	✓
DK - Danish regulation for air pollution from wood burners	✓
F - Crédit d'impôt à la transition énergétique	7☆

Evaluation of emission data and efficiency Lignite briquettes

Norm DIN EN 13240 (Intermittent burning): Roomheater with flat-layer firing	Evaluation
D - 1.BlmSchV	



No symbol means that there are no requirements.

No measuring values are available for this fuel, operation with this fuel is not permitted

Here you will find further information