



Appliances properties: Olsberg GmbH - Olsberg - Ipala Smart Compact Türanschlag links Typ Nr. 23/785 - 23/785

Master data

Date of entry Oct 2, 2018

Manufacturer Olsberg GmbH - Olsberg

Model Ipala Smart Compact Türanschlag links Typ Nr. 23/785

Product code 23/785

Nominal heat output [kW] 5

Declared nominal space heating output [kW] 5

Continuous burning appliance

Type test standard DIN EN 13240

Year of testing 2018

Test laboratory Feuerstättenprüfstelle Kahl GmbH

Number of test laboratory 28

Number of test report FK 40 18 543/BZ



Flue gas values

	Wood	
Flue gas mass flow [g/s]	4.05	
Flue gas mass flow [g/s]	304	
Necessary flue draught [Pa]	12	

Further important characteristics of the appliance

Suitability for installation to a shared flue 1)



Connectivity to the central heating system

General technical approval for room sealed operation



On behalf of the manufacturer, the HKI Industrieverband e.V. hereby confirms compliance with the respective requirements* in accordance with 1.BImSchV. The type test report of the fireplace has been submitted to the HKI Industrieverband e.V.

^{*} A green check mark with a "1" indicates that the requirements of the 1st BImSchV are fulfilled, a green check mark with a "2" indicates that the 2nd level of the 1st BImSchV is fulfilled. A yellow check mark shows that the transitional regulation of the 1st BImSchV is fulfilled and a red line means that the 1st BImSchV is not fulfilled.



F - Crédit d'impôt à la transition énergétique

This appliance is authorized to use the HKI quality label.

Evaluation of emission data and efficiency Wood		
Norm DIN EN 13240 (Intermittent burning): Roomheater with flat-layer firing	Evaluation	
D - 1.BlmSchV	Stufe 2	
A - Austrian regulation referred to Art 15a B-VG	2015	
CH - Swiss clean air act	✓	
DK - Danish regulation for air pollution from wood burners		

Evaluation of emission data and emisionly Eightic Briquettes	
Norm DIN EN 13240 (Intermittent burning): Roomheater with flat-layer firing	Evaluation
D - 1.BlmSchV	I



No symbol means that there are no requirements.

No measuring values are available for this fuel, operation with this fuel is not permitted

Here you will find further information