

Master data

## Appliances properties: Spartherm Feuerungstechnik GmbH - ambiente a4 H2O RLU

| Date of entry                              | Nov 11, 2022                    |
|--|---------------------------------|
| Manufacturer                               | Spartherm Feuerungstechnik GmbH |
| Model                                      | ambiente a4 H2O RLU             |
| Nominal heat output [kW]                   | 8                               |
| Declared nominal space heating output [kW] | 2.8                             |
| Nominal water heating output [kW]          | 5.2                             |
| Continuous burning appliance               | -                               |

Type test standard DIN EN 13240

Year of testing 2018

**Test laboratory** RRF Rhein-Ruhr-Feuerstättenprüfstelle GmbH

Number of test laboratory

Number of test report RRF-40 16 4201

| Flue gas | values |
|----------|--------|
|----------|--------|

|                             | Wood |
|-----------------------------|------|
| Flue gas mass flow [g/s]    | 7.6  |
| Flue gas mass flow [g/s]    | 150  |
| Necessary flue draught [Pa] | 12   |

2

Further important characteristics of the appliance

Suitability for installation to a shared flue<sup>1)</sup>

Connectivity to the central heating system

General technical approval for room sealed operation

## Number of approval for room sealed operation

Z-43.12-244

On behalf of the manufacturer, the HKI Industrieverband e.V. hereby confirms compliance with the respective requirements\* in accordance with 1.BImSchV. The type test report of the fireplace has been submitted to the HKI Industrieverband e.V.

<sup>1)</sup> For unsealed operation it is possible to install the appliances to a shared flue system (please see installation manual).

<sup>\*</sup> A green check mark with a "1" indicates that the requirements of the 1st BImSchV are fulfilled, a green check mark with a "2" indicates that the 2nd level of the 1st BImSchV is fulfilled. A yellow check mark shows that the transitional regulation of the 1st BImSchV is fulfilled and a red line means that the 1st BImSchV is not fulfilled.

## Evaluation of emission data and efficiency Wood

| Norm DIN EN 13240: Roomheater for wood logs                | Evaluation |
|--|------------|
| EU - Regulation (EU) 2015/1185 (Ecodesign)                 | <b>*</b>   |
| D - 1.BlmSchV  | Stufe 2    |
| A - Austrian regulation referred to Art 15a B-VG           | ✓          |
| CH - Swiss clean air act                                   | ✓          |
| DK - Danish regulation for air pollution from wood burners | ✓          |
| F - Crédit d'impôt à la transition énergétique             | 7会         |
| I - Italian Decree No. 186                                 | 南南南南       |

## Evaluation of emission data and efficiency Lignite briquettes

Norm DIN EN 13240 (Intermittent burning): Roomheater with flat-layer firing

D - 1.BImSchV



No symbol means that there are no requirements.

No measuring values are available for this fuel, operation with this fuel is not permitted

Here you will find further information