

Appliances properties: Palazzetti Lelio S. p. A. - Ecofire da inserimento Idro

Iodel Ecofire da inserimento Idro Iominal heat output [kW] 13.2 Iontinuous burning appliance IIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIII	Master data	
lanufacturer Palazzetti Lelio S. p. A. lodel Ecofire da inserimento Idro ominal heat output [kW] 13.2 ontinuous burning appliance Image: Compact Standard uppe test standard DIN EN 14785 ear of testing 2003		
IodelEcofire da inserimento IdroIominal heat output [kW]13.2Iomina pplianceIomina pplianceUppe test standardDIN EN 14785ear of testing2003	Date of entry	Jun 9, 2008
ioninal heat output [kW] 13.2 iontinuous burning appliance Image: Constant of the sting of testing ionitinuous burning appliance Image: Constant of testing of testing	Manufacturer	Palazzetti Lelio S. p. A.
vontinuous burning appliance ype test standard ear of testing 2003	Model	Ecofire da inserimento Idro
ype test standard DIN EN 14785 ear of testing 2003	Nominal heat output [kW]	13.2
ear of testing 2003	Continuous burning appliance	—
-	Type test standard	DIN EN 14785
	Year of testing	2003
ast laboratory TÜV RHEINLAND INDUSTRIE SERVICE GMBH - TÜV Rheinland Group	Test laboratory	TÜV RHEINLAND INDUSTRIE SERVICE GMBH - TÜV Rheinland Group
umber of test laboratory 5	Number of test laboratory	5
umber of test report K 73 2003 T1	Number of test report	K 73 2003 T1

Flue gas values

	Pellets
Flue gas mass flow [g/s]	9
Flue gas mass flow [g/s]	155
Necessary flue draught [Pa]	0

Further important characteristics of the appliance

Suitability for installation to a shared flue ¹⁾	_
Connectivity to the central heating system	-
General technical approval for room sealed operation	—

¹⁾ For unsealed operation it is possible to install the appliances to a shared flue system (please see installation manual).

On behalf of the manufacturer, the HKI Industrieverband e.V. hereby confirms compliance with the respective requirements* in accordance with 1.BImSchV. The type test report of the fireplace has been submitted to the HKI Industrieverband e.V.

* A green check mark with a "1" indicates that the requirements of the 1st BImSchV are fulfilled, a green check mark with a "2" indicates that the 2nd level of the 1st BImSchV is fulfilled. A yellow check mark shows that the transitional regulation of the 1st BImSchV is fulfilled and a red line means that the 1st BImSchV is not fulfilled.

Evaluation of emission data and efficiency Pellets

Norm : Pellet stoves with boiler	Evaluation
D - 1.BlmSchV	Stufe 2
A - Austrian regulation referred to Art 15a B-VG	A 10 10 10 10 10 10 10 10 10 10 10 10 10
CH - Swiss clean air act	✓
F - Crédit d'impôt à la transition énergétique	7☆

Emission evaluation legend

Stufe 2	Compliant with the requirements of the 2nd stage of the 1.BImSchV (only for Germany)
Stufe 1	Compliant with the requirements of the 1st stage of the 1.BImSchV (only for Germany)
2015	Compliant with the requirements of the Austrian Agreement pursuant to Art. 15a B-VG from 2015 (applies only to Austria)
7☆	Compliant with the requirements for the "Crédit d'impôt" promotion in France, the fireplace complies with the classification 7* of the Flamme Verte Label
6☆	Compliant with the requirements for the "Crédit d'impôt" promotion in France, the fireplace complies with the classification 6* of the Flamme Verte Label
5☆	Compliant with the requirements for the "Crédit d'impôt" promotion in France, the fireplace complies with the classification 5* of the Flamme Verte Label
★	Compliant with the requirements of the 1 star stage in Italy.
र्म्न इंग्रेन	Compliant with the requirements of the 2 star stage in Italy.
क्रे क्रे क्रे	Compliant with the requirements of the 3 star stage in Italy.
र् इन्होलेक	Compliant with the requirements of the 4 star stage in Italy.
***	Compliant with the requirements of the 5 star stage in Italy.
	Fulfils the requirements
\checkmark	Complies with requirements of the transition ruling (1.BImSchV)
_	Requirements are not fulfilled
—	No information/unknown
	No measuring values are available for this fuel, operation with this fuel is not permitted
No syr	mbol means that there are no requirements.

Here you will find further information