

## Appliances properties: Heta A/S - Scan-Line 840 hoher Aschentür, Akkumulation und Speckstein

Aaster data	
ate of entry Mar 1	3, 2014
anufacturer Heta /	VS
odel Scan-	Line 840 hoher Aschentür, Akkumulation und Speckstein
ominal heat output [kW] 6	
ontinuous burning appliance	
vpe test standard DIN E	N 13240
ear of testing 2011	
est laboratory Danis	n Technological Institute
umber of test laboratory 15	
umber of test report 300-E	LAB-1447-EN

## Flue gas values

	Wood
Flue gas mass flow [g/s]	5.3
Flue gas mass flow [g/s]	274
Necessary flue draught [Pa]	13

Further important characteristics of the appliance

Suitability for installation to a shared flue <sup>1)</sup>	_
Connectivity to the central heating system	—
General technical approval for room sealed operation	×
Number of approval for room sealed operation	Z-43.12-325

<sup>1)</sup> For unsealed operation it is possible to install the appliances to a shared flue system (please see installation manual).

On behalf of the manufacturer, the HKI Industrieverband e.V. hereby confirms compliance with the respective requirements\* in accordance with 1.BImSchV. The type test report of the fireplace has been submitted to the HKI Industrieverband e.V.

\* A green check mark with a "1" indicates that the requirements of the 1st BImSchV are fulfilled, a green check mark with a "2" indicates that the 2nd level of the 1st BImSchV is fulfilled. A yellow check mark shows that the transitional regulation of the 1st BImSchV is fulfilled and a red line means that the 1st BImSchV is not fulfilled.

lorm DIN EN 13240 (Intermittent burning): Roomheater with flat-layer firing	Evaluation
- 1.BImSchV	Stufe 2
Austrian regulation referred to Art 15a B-VG	× .
H - Swiss clean air act	× .
X - Danish regulation for air pollution from wood burners	×
- Crédit d'impôt à la transition énergétique	

Evaluation

## Evaluation of emission data and efficiency Lignite briquettes

Norm DIN EN 13240	Intermittent hurning): R	Roomheater with flat-layer firing	
NOTH DIN EN 13240	internittent burning). R	Commeater with nat-layer ming	

D - 1.BImSchV

Stufe 2	Compliant with the requirements of the 2nd stage of the 1.BImSchV (only for Germany)		
Stufe 1	Compliant with the requirements of the 1st stage of the 1.BImSchV (only for Germany)		
2015	Compliant with the requirements of the Austrian Agreement pursuant to Art. 15a B-VG from 2015 (applies only to Austria)		
<b>7☆</b>	Compliant with the requirements for the "Crédit d'impôt" promotion in France, the fireplace complies with the classification 7* of the Flamme Verte Label		
6 <b>☆</b>	Compliant with the requirements for the "Crédit d'impôt" promotion in France, the fireplace complies with the classification 6* of the Flamme Verte Label		
<b>5☆</b>	Compliant with the requirements for the "Crédit d'impôt" promotion in France, the fireplace complies with the classification 5* of the Flamme Verte Label		
*	Compliant with the requirements of the 1 star stage in Italy.		
क्रे क्रे	Compliant with the requirements of the 2 star stage in Italy.		
<b>*</b> 京京	Compliant with the requirements of the 3 star stage in Italy.		
***	Compliant with the requirements of the 4 star stage in Italy.		
****	Compliant with the requirements of the 5 star stage in Italy.		
	Fulfils the requirements		
$\checkmark$	Complies with requirements of the transition ruling (1.BImSchV)		
-	Requirements are not fulfilled		
—	No information/unknown		
!	No measuring values are available for this fuel, operation with this fuel is not permitted		
No svi	No symbol means that there are no requirements.		

Here you will find further information