

Appliances properties: Olsberg GmbH - Olsberg - Ipala Compact Türanschlag links Typ Nr. 23/696 - 23/696

Master data		
Pate of entry	Sep 19, 2018	
lanufacturer	Olsberg GmbH - Olsberg	
lodel	Ipala Compact Türanschlag links Typ Nr. 23/696	
roduct code	23/696	
lominal heat output [kW]	5	
eclared nominal space heating output [kW]	5	
continuous burning appliance	-	
ype test standard	DIN EN 13240	
/ear of testing	2015	
est laboratory	Feuerstättenprüfstelle Kahl GmbH	
lumber of test laboratory	28	
lumber of test report	FK 40 15 366	

Flue gas values

	Wood	
Flue gas mass flow [g/s]	4.13	
Flue gas mass flow [g/s]	339	
Necessary flue draught [Pa]	12	

Further important characteristics of the appliance	
Suitability for installation to a shared flue ¹⁾	-
Connectivity to the central heating system	-
General technical approval for room sealed operation	•
Number of approval for room sealed operation	Z-43.12-398
$\frac{1}{2}$ For uncoded exercises it is precised to install the explication to a charactifical system (places are installation manual)	

¹⁾ For unsealed operation it is possible to install the appliances to a shared flue system (please see installation manual).

On behalf of the manufacturer, the HKI Industrieverband e.V. hereby confirms compliance with the respective requirements* in accordance with 1.BImSchV. The type test report of the fireplace has been submitted to the HKI Industrieverband e.V.

* A green check mark with a "1" indicates that the requirements of the 1st BImSchV are fulfilled, a green check mark with a "2" indicates that the 2nd level of the 1st BImSchV is fulfilled. A yellow check mark shows that the transitional regulation of the 1st BImSchV is fulfilled and a red line means that the 1st BImSchV is not fulfilled.

Evaluation of emission data and efficiency Wood	
Norm DIN EN 13240 (Intermittent burning): Roomheater with flat-layer firing	Evaluation
D - 1.BImSchV	Stufe 2
A - Austrian regulation referred to Art 15a B-VG	2015
CH - Swiss clean air act	×
DK - Danish regulation for air pollution from wood burners	×
F - Crédit d'impôt à la transition énergétique	7☆

Evaluation

Evaluation of emission data and efficiency Lignite briquettes

Norm DIN EN 13240 (Interm	ittent burning): Roomheater with flat-layer firing
---------------------------	--

D - 1.BImSchV

Stufe 2	Compliant with the requirements of the 2nd stage of the 1.BImSchV (only for Germany)				
Stufe 1	Compliant with the requirements of the 1st stage of the 1.BImSchV (only for Germany)				
2015	Compliant with the requirements of the Austrian Agreement pursuant to Art. 15a B-VG from 2015 (applies only to Austria)				
7☆	Compliant with the requirements for the "Crédit d'impôt" promotion in France, the fireplace complies with the classification 7* of the Flamme Verte Label				
6 ☆	Compliant with the requirements for the "Crédit d'impôt" promotion in France, the fireplace complies with the classification 6* of the Flamme Verte Label				
5☆	Compliant with the requirements for the "Crédit d'impôt" promotion in France, the fireplace complies with the classification 5* of the Flamme Verte Label				
*	Compliant with the requirements of the 1 star stage in Italy.				
क्रे क्रे	Compliant with the requirements of the 2 star stage in Italy.				
* 京京	Compliant with the requirements of the 3 star stage in Italy.				
***	Compliant with the requirements of the 4 star stage in Italy.				
****	Compliant with the requirements of the 5 star stage in Italy.				
	Fulfils the requirements				
\checkmark	Complies with requirements of the transition ruling (1.BImSchV)				
-	Requirements are not fulfilled				
—	No information/unknown				
!	No measuring values are available for this fuel, operation with this fuel is not permitted				
No svi	No symbol means that there are no requirements.				

Here you will find further information