

Appliances properties: Supra S.A. - HF 3950 D - Marke Supra

| ManufacturerSupra S.A.ModelHF 3950 DProduct codeMarke SupraNominal heat output [kW]9Continuous burning applianceImage: Continuous burning applianceType test standardDIN 18891Year of testing2000Test laboratoryRRF Rhein-Ruhr-Feuerstättenprüfstelle GmbHYear of test laboratory2 | Master data | |
|--|------------------------------|--|
| ManufacturerSupra S.A.ModelHF 3950 DProduct codeMarke SupraNominal heat output [kW]9Continuous burning applianceImage: Continuous burning applianceType test standardDIN 18891Year of testing2000Test laboratoryRRF Rhein-Ruhr-Feuerstättenprüfstelle GmbHYear of test laboratory2 | | |
| ModelHF 3950 DProduct codeMarke SupraNominal heat output [kW]9Continuous burning applianceImage: Continuous burning applianceType test standardDIN 18891Year of testing2000Test laboratoryRRF Rhein-Ruhr-Feuerstättenprüfstelle GmbHNumber of test laboratory2 | Date of entry | Feb 26, 2008 |
| Product codeMarke SupraNominal heat output [kW]9Continuous burning applianceImage: Continuous burning applianceType test standardDIN 18891Year of testing2000Test laboratoryRRF Rhein-Ruhr-Feuerstättenprüfstelle GmbHNumber of test laboratory2 | Manufacturer | Supra S.A. |
| Nominal heat output [kW] 9 Continuous burning appliance — Type test standard DIN 18891 Year of testing 2000 Test laboratory RRF Rhein-Ruhr-Feuerstättenprüfstelle GmbH Number of test laboratory 2 | Model | HF 3950 D |
| Continuous burning appliance IN 18891 Type test standard DIN 18891 Year of testing 2000 Test laboratory RRF Rhein-Ruhr-Feuerstättenprüfstelle GmbH Number of test laboratory 2 | Product code | Marke Supra |
| Type test standardDIN 18891Year of testing2000Test laboratoryRRF Rhein-Ruhr-Feuerstättenprüfstelle GmbHNumber of test laboratory2 | Nominal heat output [kW] | 9 |
| Year of testing 2000 Fest laboratory RRF Rhein-Ruhr-Feuerstättenprüfstelle GmbH Number of test laboratory 2 | Continuous burning appliance | — |
| Fest laboratory RRF Rhein-Ruhr-Feuerstättenprüfstelle GmbH Number of test laboratory 2 | Type test standard | DIN 18891 |
| Number of test laboratory 2 | Year of testing | 2000 |
| | Test laboratory | RRF Rhein-Ruhr-Feuerstättenprüfstelle GmbH |
| | Number of test laboratory | 2 |
| aumber of test report RO-91 00 46 + RO-91 0041 Z | Number of test report | RO-91 00 46 + RO-91 0041 Z |

Flue gas values

| | Wood | |
|-----------------------------|------|--|
| Flue gas mass flow [g/s] | 10 | |
| Flue gas mass flow [g/s] | 368 | |
| Necessary flue draught [Pa] | 10 | |

Further important characteristics of the appliance

| Suitability for installation to a shared flue ¹⁾ | |
|---|---|
| Connectivity to the central heating system | - |
| General technical approval for room sealed operation | - |

¹⁾ For unsealed operation it is possible to install the appliances to a shared flue system (please see installation manual).

On behalf of the manufacturer, the HKI Industrieverband e.V. hereby confirms compliance with the respective requirements* in accordance with 1.BImSchV. The type test report of the fireplace has been submitted to the HKI Industrieverband e.V.

* A green check mark with a "1" indicates that the requirements of the 1st BImSchV are fulfilled, a green check mark with a "2" indicates that the 2nd level of the 1st BImSchV is fulfilled. A yellow check mark shows that the transitional regulation of the 1st BImSchV is fulfilled and a red line means that the 1st BImSchV is not fulfilled.

| orm DIN EN 13240 (Intermittent burning): Roomheater with flat-layer firing | Evaluation |
|--|------------|
| - 1.BImSchV | Stufe 2 |
| - Austrian regulation referred to Art 15a B-VG | - |
| H - Swiss clean air act | × |
| K - Danish regulation for air pollution from wood burners | × |
| K - Danish regulation for air pollution from wood burners - Crédit d'impôt à la transition énergétique | |

Evaluation of emission data and efficiency Lignite briquettes

| Norm DIN EN 13240 (Intermittent burning): Roomheater with flat-layer firing | Evaluation |
|---|---------------------------|
| D - 1.BImSchV | Stufe 1 Grandfathering |
| A - Austrian regulation referred to Art 15a B-VG | - |
| CH - Swiss clean air act | < |

| Stufe 2 | Compliant with the requirements of the 2nd stage of the 1.BImSchV (only for Germany) | | | |
|--------------|---|--|--|--|
| Stufe 1 | Compliant with the requirements of the 1st stage of the 1.BImSchV (only for Germany) | | | |
| 2015 | Compliant with the requirements of the Austrian Agreement pursuant to Art. 15a B-VG from 2015 (applies only to Austria) | | | |
| 7☆ | Compliant with the requirements for the "Crédit d'impôt" promotion in France, the fireplace complies with the classification 7* of the Flamme Verte Label | | | |
| 6 ☆ | Compliant with the requirements for the "Crédit d'impôt" promotion in France, the fireplace complies with the classification 6* of the Flamme Verte Label | | | |
| 5☆ | Compliant with the requirements for the "Crédit d'impôt" promotion in France, the fireplace complies with the classification 5* of the Flamme Verte Label | | | |
| * | Compliant with the requirements of the 1 star stage in Italy. | | | |
| क्रे क्रे | Compliant with the requirements of the 2 star stage in Italy. | | | |
| * 京京 | Compliant with the requirements of the 3 star stage in Italy. | | | |
| *** | Compliant with the requirements of the 4 star stage in Italy. | | | |
| **** | Compliant with the requirements of the 5 star stage in Italy. | | | |
| | Fulfils the requirements | | | |
| \checkmark | Complies with requirements of the transition ruling (1.BImSchV) | | | |
| - | Requirements are not fulfilled | | | |
| — | No information/unknown | | | |
| ! | No measuring values are available for this fuel, operation with this fuel is not permitted | | | |
| No svi | No symbol means that there are no requirements. | | | |
| | | | | |

Here you will find further information