

Appliances properties: LEDA Werk GmbH & Co. KG - BRILLANT H2 W E

Master data

Date of entry Mar 26, 2012

Manufacturer LEDA Werk GmbH & Co. KG

Model BRILLANT H2 W E

Nominal heat output [kW]

Continuous burning appliance

Type test standard DIN EN 13229

Year of testing 2012

Test laboratory RWE Rheinbraun AG

Number of test laboratory

Number of test report FSPS-Wa 2096



Flue gas values

	Wood
Flue gas mass flow [g/s]	17
Flue gas mass flow [g/s]	225
Necessary flue draught [Pa]	13

15


4.1


Further important characteristics of the appliance

Suitability for installation to a shared flue¹⁾

Connectivity to the central heating system

been submitted to the HKI Industrieverband e.V.





^{*}A green check mark with a "1" indicates that the requirements of the 1st BImSchV are fulfilled, a green check mark with a "2" indicates that the 2nd level of the 1st BImSchV is fulfilled. A yellow check mark shows that the transitional regulation of the 1st BImSchV is fulfilled and a red line means that the 1st BImSchV is not fulfilled.

orm : Inset appliance with flat-layer firing	Evaluation
1.BlmSchV	Stufe 2
ustrian regulation referred to Art 15a B-VG	✓
Swiss clean air act	✓
- Crédit d'impôt à la transition énergétique	✓

Evaluation of emission data and efficiency Lignite briquettes		
Norm : Inset appliance with flat-layer firing	Evaluation	
D - 1.BlmSchV	1	



No symbol means that there are no requirements.

No measuring values are available for this fuel, operation with this fuel is not permitted

Here you will find further information