

## Appliances properties: Max Blank GmbH - Nimes

Master data		
Date of entry	Dec 16, 2015	
Manufacturer	Max Blank GmbH	
Model	Nimes	
Nominal heat output [kW]	5.1	
Declared nominal space heating output [kW]	5.1	-
Partial load [kW]	3	
Part load space heating output [kW]	3	in the second
Continuous burning appliance	-	
Type test standard	DIN EN 13240	
Year of testing	2013	
Test laboratory	DBI-Gastechnisches Institut gGmbH Freiberg	
Number of test laboratory	12	
Number of test report	DBI F 13/04/0236	

## Flue gas values

	Wood
Flue gas mass flow [g/s]	5.89
Flue gas mass flow [g/s]	235
Necessary flue draught [Pa]	12

Further important characteristics of the appliance	
Suitability for installation to a shared flue <sup>1)</sup>	
Connectivity to the central heating system	-
General technical approval for room sealed operation	×
Number of approval for room sealed operation	Z-43.12-354
<sup>1)</sup> For unsealed operation it is possible to install the appliances to a shared flue system (please see installation manual).	

On behalf of the manufacturer, the HKI Industrieverband e.V. hereby confirms compliance with the respective requirements\* in accordance with 1.BImSchV. The type test report of the fireplace has been submitted to the HKI Industrieverband e.V.

\* A green check mark with a "1" indicates that the requirements of the 1st BImSchV are fulfilled, a green check mark with a "2" indicates that the 2nd level of the 1st BImSchV is fulfilled. A yellow check mark shows that the transitional regulation of the 1st BImSchV is fulfilled and a red line means that the 1st BImSchV is not fulfilled.

Evaluation of emission data and efficiency Wood	
Norm DIN EN 13240 (Intermittent burning): Roomheater with flat-layer firing	Evaluation
D - 1.BImSchV	Stufe 2
A - Austrian regulation referred to Art 15a B-VG	2015
CH - Swiss clean air act	×
DK - Danish regulation for air pollution from wood burners	×
F - Crédit d'impôt à la transition énergétique	7☆

Evaluation

## Evaluation of emission data and efficiency Lignite briquettes

Norm DIN EN 13240 (Interm	ittent burning): Roomheater with flat-layer firing
---------------------------	--

D - 1.BImSchV

Stufe 2	Compliant with the requirements of the 2nd stage of the 1.BImSchV (only for Germany)		
Stufe 1	Compliant with the requirements of the 1st stage of the 1.BImSchV (only for Germany)		
2015	Compliant with the requirements of the Austrian Agreement pursuant to Art. 15a B-VG from 2015 (applies only to Austria)		
<b>7☆</b>	Compliant with the requirements for the "Crédit d'impôt" promotion in France, the fireplace complies with the classification 7* of the Flamme Verte Label		
6 <b>☆</b>	Compliant with the requirements for the "Crédit d'impôt" promotion in France, the fireplace complies with the classification 6* of the Flamme Verte Label		
<b>5☆</b>	Compliant with the requirements for the "Crédit d'impôt" promotion in France, the fireplace complies with the classification 5* of the Flamme Verte Label		
*	Compliant with the requirements of the 1 star stage in Italy.		
क्रे क्रे	Compliant with the requirements of the 2 star stage in Italy.		
<b>*</b> 京京	Compliant with the requirements of the 3 star stage in Italy.		
***	Compliant with the requirements of the 4 star stage in Italy.		
****	Compliant with the requirements of the 5 star stage in Italy.		
	Fulfils the requirements		
$\checkmark$	Complies with requirements of the transition ruling (1.BImSchV)		
-	Requirements are not fulfilled		
—	No information/unknown		
!	No measuring values are available for this fuel, operation with this fuel is not permitted		
No symbol means that there are no requirements.			

Here you will find further information