

Appliances properties: Wodtke GmbH - Pat PO 04.5-12 E - Airplus (8 kW)

Date of entry Feb 20, 2015 Manufacturer Wodtke GmbH Model Pat PO 04.5-12 E - Airplus (8 kW) Nominal heat output [kW] 8 Declared nominal space heating output [kW] 2 Partial load [kW] 2 Continuous burning appliance Image: Dist Standard Year of testing Dist N 14785 Year of testing 2014 Test laboratory RWE Power AG Number of test laboratory 5PS-Wa 2271-EN	Master data		
ModelPat PO 04.5-12 E - Airplus (8 kW)Nominal heat output [kW]8Declared nominal space heating output [kW]8Partial load [kW]2Continuous burning applianceImage: Continuous burning applianceType test standardDIN EN 14785Year of testing2014Test laboratoryRWE Power AGNumber of test laboratory4	Date of entry	Feb 20, 2015	
Nominal heat output [kW]8Declared nominal space heating output [kW]8Partial load [kW]2Continuous burning appliance	Manufacturer	Wodtke GmbH	
Nominal heat output [kW]8Declared nominal space heating output [kW]8Partial load [kW]2Continuous burning appliance	Model	Pat PO 04.5-12 E - Airplus (8 kW)	
Partial load [kW]2Continuous burning appliance—Type test standardDIN EN 14785Year of testing2014Test laboratoryRWE Power AGNumber of test laboratory4	Nominal heat output [kW]	8	
Continuous burning appliance — Type test standard DIN EN 14785 Year of testing 2014 Test laboratory RWE Power AG Number of test laboratory 4	Declared nominal space heating output [kW]	8	
Type test standard DIN EN 14785 Year of testing 2014 Test laboratory RWE Power AG Number of test laboratory 4	Partial load [kW]	2	
Year of testing 2014 Test laboratory RWE Power AG Number of test laboratory 4	Continuous burning appliance	-	
Test laboratory RWE Power AG Number of test laboratory 4	Type test standard	DIN EN 14785	KUT
Number of test laboratory 4	Year of testing	2014	
	Test laboratory	RWE Power AG	
Number of test report FSPS-Wa 2271-EN	Number of test laboratory	4	
	Number of test report	FSPS-Wa 2271-EN	

Flue gas values

	Pellets
Flue gas mass flow [g/s]	6
Flue gas mass flow [g/s]	210
Necessary flue draught [Pa]	0

Further important characteristics of the appliance

Suitability for installation to a shared flue ¹⁾	-
Connectivity to the central heating system	-
General technical approval for room sealed operation	—

¹⁾ For unsealed operation it is possible to install the appliances to a shared flue system (please see installation manual).

On behalf of the manufacturer, the HKI Industrieverband e.V. hereby confirms compliance with the respective requirements* in accordance with 1.BImSchV. The type test report of the fireplace has been submitted to the HKI Industrieverband e.V.

* A green check mark with a "1" indicates that the requirements of the 1st BImSchV are fulfilled, a green check mark with a "2" indicates that the 2nd level of the 1st BImSchV is fulfilled. A yellow check mark shows that the transitional regulation of the 1st BImSchV is fulfilled and a red line means that the 1st BImSchV is not fulfilled.

Evaluation of emission data and efficiency Pellets

Norm : Pellet stoves without boiler	Evaluation
D - 1.BlmSchV	Stufe 2
A - Austrian regulation referred to Art 15a B-VG	✓
CH - Swiss clean air act	<
F - Crédit d'impôt à la transition énergétique	7☆

Emission evaluation legend

	Compliant with the requirements of the 2nd stage of the 1.BImSchV (only for Germany)
Stufe 2	
Stufe 1	Compliant with the requirements of the 1st stage of the 1.BImSchV (only for Germany)
2015	Compliant with the requirements of the Austrian Agreement pursuant to Art. 15a B-VG from 2015 (applies only to Austria)
7☆	Compliant with the requirements for the "Crédit d'impôt" promotion in France, the fireplace complies with the classification 7* of the Flamme Verte Label
6 ☆	Compliant with the requirements for the "Crédit d'impôt" promotion in France, the fireplace complies with the classification 6* of the Flamme Verte Label
5☆	Compliant with the requirements for the "Crédit d'impôt" promotion in France, the fireplace complies with the classification 5* of the Flamme Verte Label
↓	Compliant with the requirements of the 1 star stage in Italy.
र्म् इन्हे	Compliant with the requirements of the 2 star stage in Italy.
क्रेक्रेक्र इन्हेन्क्र	Compliant with the requirements of the 3 star stage in Italy.
र् इत्रेज्वेच	Compliant with the requirements of the 4 star stage in Italy.
***	Compliant with the requirements of the 5 star stage in Italy.
	Fulfils the requirements
\checkmark	Complies with requirements of the transition ruling (1.BImSchV)
	Requirements are not fulfilled
_	No information/unknown
	No measuring values are available for this fuel, operation with this fuel is not permitted
No syi	mbol means that there are no requirements.

Here you will find further information