

Appliances properties: HOXTER a.s. - SF 37/50

| Master data | | |
|------------------------------|----------------------------------|--|
| Date of entry | Oct 26, 2021 | |
| Manufacturer | HOXTER a.s. | |
| Model | SF 37/50 | |
| Nominal heat output [kW] | 34 | |
| Continuous burning appliance | _ | |
| Type test standard | DIN EN 13229 | |
| Year of testing | 2015 | |
| Test laboratory | Strojirensky Zkusebni Ustav s.p. | |
| Number of test laboratory | 19 | |
| Number of test report | 30-12784-T | |
| Flue gas values | | |
| | Wood | |
| Flue gas mass flow [g/s] | 35.9 | |
| Flue gas mass flow [g/s] | 158 | |

Further important characteristics of the appliance

Necessary flue draught [Pa]

Suitability for installation to a shared flue¹⁾

Connectivity to the central heating system



10

General technical approval for room sealed operation

On behalf of the manufacturer, the HKI Industrieverband e.V. hereby confirms compliance with the respective requirements* in accordance with 1.BImSchV. The type test report of the fireplace has been submitted to the HKI Industrieverband e.V.

¹⁾ For unsealed operation it is possible to install the appliances to a shared flue system (please see installation manual).

^{*} A green check mark with a "1" indicates that the requirements of the 1st BImSchV are fulfilled, a green check mark with a "2" indicates that the 2nd level of the 1st BImSchV is fulfilled. A yellow check mark shows that the transitional regulation of the 1st BImSchV is fulfilled and a red line means that the 1st BImSchV is not fulfilled.

Evaluation of emission data and efficiency Wood

| Norm : Inset appliances (with closed firedoor) | Evaluation |
|--|-------------|
| D - 1.BlmSchV | Stufe 2 |
| A - Austrian regulation referred to Art 15a B-VG | 2015 |
| CH - Swiss clean air act | * |
| DK - Danish regulation for air pollution from wood burners | * |
| F - Crédit d'impôt à la transition énergétique | √ 7★ |

Evaluation of emission data and efficiency Lignite briquettes

| Norm : Inset appliances (with closed firedoor) | Evaluation |
|--|------------|
| D - 1.BlmSchV | ļ. |



No symbol means that there are no requirements.

No measuring values are available for this fuel, operation with this fuel is not permitted

Here you will find further information