

Appliances properties: Austroflamm GmbH - KOKO Xtra 2.0 (Typ 1)

Master data

Date of entry Nov 17, 2025

Manufacturer Austroflamm GmbH

Model KOKO Xtra 2.0 (Typ 1)

Nominal heat output [kW] 7.5

Declared nominal space heating output [kW] 7.5

Continuous burning appliance

Type test standard EN 16510-2-1

Year of testing 2025

Test laboratory IMQ Primacontrol S.r.l.

Number of test laboratory 10

Number of test report CS25-0118853-01

Flue gas values

	Wood	
Flue gas mass flow [g/s]	6.3	
Flue gas mass flow [g/s]	310	
Necessary flue draught [Pa]	13	

Further important characteristics of the appliance

Suitability for installation to a shared flue 1)



Connectivity to the central heating system



On behalf of the manufacturer, the HKI Industrieverband e.V. hereby confirms compliance with the respective requirements* in accordance with 1.BImSchV. The type test report of the fireplace has been submitted to the HKI Industrieverband e.V.

General technical approval for room sealed operation

¹⁾ For unsealed operation it is possible to install the appliances to a shared flue system (please see installation manual).

^{*}A green check mark with a "1" indicates that the requirements of the 1st BImSchV are fulfilled, a green check mark with a "2" indicates that the 2nd level of the 1st BImSchV is fulfilled. A yellow check mark shows that the transitional regulation of the 1st BImSchV is fulfilled and a red line means that the 1st BImSchV is not fulfilled.

Evaluation of emission data and efficiency Wood

EU-Roomheater according to EN 16510-2-1	Evaluation
EU - Regulation (EU) 2015/1185 (Ecodesign)	✓
D - 1.BlmSchV	Stufe 2
CH - Swiss clean air act	✓
F - Crédit d'impôt à la transition énergétique	7☆
I - Italian Decree No. 186	PARTY

Evaluation of emission data and efficiency Lignite briquettes

EU-Roomheater according to EN 16510-2-1	Evaluation
EU - Regulation (EU) 2015/1185 (Ecodesign)	!
D - 1.BlmSchV	I



No information/unknown

No measuring values are available for this fuel, operation with this fuel is not permitted

No symbol means that there are no requirements.

Here you will find further information