

## Appliances properties: skantherm GmbH & Co. KG - nobus (mehrfachbelegbar)

Manufacturerskantherm GmbH & Co. KGModelnobus (mehrfachbelegbar)Nominal heat output [kW]7Continuous burning applianceImage: Continuous burning applianceType test standardDIN EN 13240Year of testing2006Test laboratoryRRF Rhein-Ruhr-Feuerstättenprüfstelle GmbHNumber of test laboratory2	Master data	
Manufacturerskantherm GmbH & Co. KGModelnobus (mehrfachbelegbar)Nominal heat output [kW]7Continuous burning applianceImage: Continuous burning applianceType test standardDIN EN 13240Year of testing2006Test laboratoryRRF Rhein-Ruhr-Feuerstättenprüfstelle GmbHNumber of test laboratory2		
Modelnobus (mehrfachbelegbar)Nominal heat output [kW]7Continuous burning applianceImage: Continuous burning applianceType test standardDIN EN 13240Year of testing2006Test laboratoryRRF Rhein-Ruhr-Feuerstättenprüfstelle GmbHNumber of test laboratory2	Date of entry	Mar 6, 2012
Nominal heat output [kW]7Continuous burning appliance—Type test standardDIN EN 13240Year of testing2006Test laboratoryRRF Rhein-Ruhr-Feuerstättenprüfstelle GmbHNumber of test laboratory2	Manufacturer	skantherm GmbH & Co. KG
Continuous burning applianceIN EN 13240Type test standardDIN EN 13240Year of testing2006Test laboratoryRRF Rhein-Ruhr-Feuerstättenprüfstelle GmbHNumber of test laboratory2	Model	nobus (mehrfachbelegbar)
Type test standard DIN EN 13240   Year of testing 2006   Test laboratory RRF Rhein-Ruhr-Feuerstättenprüfstelle GmbH   Number of test laboratory 2	Nominal heat output [kW]	7
Year of testing 2006   Test laboratory RRF Rhein-Ruhr-Feuerstättenprüfstelle GmbH   Number of test laboratory 2	Continuous burning appliance	—
Test laboratory RRF Rhein-Ruhr-Feuerstättenprüfstelle GmbH   Number of test laboratory 2	Type test standard	DIN EN 13240
Number of test laboratory 2	Year of testing	2006
	Test laboratory	RRF Rhein-Ruhr-Feuerstättenprüfstelle GmbH
	Number of test laboratory	2
Number of test report RRF - 40 99 75	Number of test report	RRF - 40 99 75

Flue gas values

	Wood
Flue gas mass flow [g/s]	6.7
Flue gas mass flow [g/s]	380
Necessary flue draught [Pa]	10

Further important characteristics of the appliance

Suitability for installation to a shared flue <sup>1)</sup>	<b>~</b>
Connectivity to the central heating system	-
General technical approval for room sealed operation	-

<sup>1)</sup> For unsealed operation it is possible to install the appliances to a shared flue system (please see installation manual).

On behalf of the manufacturer, the HKI Industrieverband e.V. hereby confirms compliance with the respective requirements\* in accordance with 1.BImSchV. The type test report of the fireplace has been submitted to the HKI Industrieverband e.V.

\* A green check mark with a "1" indicates that the requirements of the 1st BImSchV are fulfilled, a green check mark with a "2" indicates that the 2nd level of the 1st BImSchV is fulfilled. A yellow check mark shows that the transitional regulation of the 1st BImSchV is fulfilled and a red line means that the 1st BImSchV is not fulfilled.

Evaluation of emission data and efficiency Wood	
Norm DIN EN 13240: Roomheater for wood logs	Evaluation
EU - Regulation (EU) 2015/1185 (Ecodesign)	—
D - 1.BImSchV	Stufe 1 Grandfathering
A - Austrian regulation referred to Art 15a B-VG	-
CH - Swiss clean air act	×
DK - Danish regulation for air pollution from wood burners	-
F - Crédit d'impôt à la transition énergétique	5☆
I - Italian Decree No. 186	!

Evaluation of emission data and efficiency Lignite briquettes		
Norm DIN EN 13240 (Intermittent burning): Roomheater with flat-layer firing	Evaluation	
D - 1.BImSchV	According to the transitional rule §26 the appliance can be used until 31.12.2024	

Stufe 2	Compliant with the requirements of the 2nd stage of the 1.BImSchV (only for Germany)				
Stufe 1	Compliant with the requirements of the 1st stage of the 1.BImSchV (only for Germany)				
2015	Compliant with the requirements of the Austrian Agreement pursuant to Art. 15a B-VG from 2015 (applies only to Austria)				
<b>7☆</b>	Compliant with the requirements for the "Crédit d'impôt" promotion in France, the fireplace complies with the classification 7* of the Flamme Verte Label				
6 <b>☆</b>	Compliant with the requirements for the "Crédit d'impôt" promotion in France, the fireplace complies with the classification 6* of the Flamme Verte Label				
<b>5☆</b>	Compliant with the requirements for the "Crédit d'impôt" promotion in France, the fireplace complies with the classification 5* of the Flamme Verte Label				
*	Compliant with the requirements of the 1 star stage in Italy.				
क्रे क्रे	Compliant with the requirements of the 2 star stage in Italy.				
<b>*</b> 京京	Compliant with the requirements of the 3 star stage in Italy.				
***	Compliant with the requirements of the 4 star stage in Italy.				
****	Compliant with the requirements of the 5 star stage in Italy.				
	Fulfils the requirements				
$\checkmark$	Complies with requirements of the transition ruling (1.BImSchV)				
-	Requirements are not fulfilled				
—	No information/unknown				
!	No measuring values are available for this fuel, operation with this fuel is not permitted				
No svi	No symbol means that there are no requirements.				

Here you will find further information