

## Appliances properties: Supra S.A. - Virginia - Marke Supra

| Master data                  |  |
|------------------------------|--|
|                              | F. L. 00. 0000                             |
| Date of entry                | Feb 26, 2008                               |
| Manufacturer                 | Supra S.A.                                 |
| Model                        | Virginia                                   |
| Product code                 | Marke Supra                                |
| Nominal heat output [kW]     | 7  |
| Continuous burning appliance | _  |
| Type test standard           | DIN 18891                                  |
| Year of testing              | 2002                                       |
| Test laboratory              | RRF Rhein-Ruhr-Feuerstättenprüfstelle GmbH |
| Number of test laboratory    | 2  |
| Number of test report        | RO-91 00 58.5 Z 2002                       |
|                              |  |

| Flue | aas | values |  |
|------|-----|--------|--|
|      |     |        |  |

|                             | Wood |  |
|-----------------------------|------|--|
| Flue gas mass flow [g/s]    | 5    |  |
| Flue gas mass flow [g/s]    | 330  |  |
| Necessary flue draught [Pa] | 12   |  |

Further important characteristics of the appliance

Suitability for installation to a shared flue  $^{1)}$ 



Connectivity to the central heating system

\_

## General technical approval for room sealed operation

On behalf of the manufacturer, the HKI Industrieverband e.V. hereby confirms compliance with the respective requirements\* in accordance with 1.BImSchV. The type test report of the fireplace has been submitted to the HKI Industrieverband e.V.

<sup>1)</sup> For unsealed operation it is possible to install the appliances to a shared flue system (please see installation manual).

<sup>\*</sup> A green check mark with a "1" indicates that the requirements of the 1st BImSchV are fulfilled, a green check mark with a "2" indicates that the 2nd level of the 1st BImSchV is fulfilled. A yellow check mark shows that the transitional regulation of the 1st BImSchV is fulfilled and a red line means that the 1st BImSchV is not fulfilled.

## Evaluation of emission data and efficiency Wood

| Norm DIN EN 13240 (Intermittent burning): Roomheater with flat-layer firing | Evaluation                |  |
|---|---------------------------|--|
| D - 1.BImSchV   | Stufe 1<br>Grandfathering |  |
| A - Austrian regulation referred to Art 15a B-VG                            | ✓                         |  |
| CH - Swiss clean air act  | ✓                         |  |
| OK - Danish regulation for air pollution from wood burners                  | _                         |  |
| F - Crédit d'impôt à la transition énergétique                              | <b>*</b>                  |  |

## Evaluation of emission data and efficiency Lignite briquettes

| Norm DIN EN 13240 (Intermittent burning): Roomheater with flat-layer firing | Evaluation                |
|---|---------------------------|
| ) - 1.BlmSchV   | Stufe 1<br>Grandfathering |
| - Austrian regulation referred to Art 15a B-VG                              |                           |
| CH - Swiss clean air act  | <b>*</b>                  |



No symbol means that there are no requirements.

No measuring values are available for this fuel, operation with this fuel is not permitted

Here you will find further information