

Appliances properties: Supra S.A. - Tura - Marke Supra

ManufacturerSupra S.A.ModelTuraProduct codeMarke SupraIominal heat output [kW]7Continuous burning applianceIoninal National Nationa	Master data	
ManufacturerSupra S.A.ModelTuraProduct codeMarke SupraIominal heat output [kW]7Continuous burning applianceIoninal National Nationa		
IndelTuraProduct codeMarke SupraIominal heat output [kW]7Continuous burning applianceIominal heat output [kW]Type test standardDIN 18891Year of testing2000Test laboratoryRRF Rhein-Ruhr-Feuerstättenprüfstelle GmbHIumber of test laboratory2	Date of entry	Feb 26, 2008
Product codeMarke SupraIominal heat output [kW]7Continuous burning applianceIominal heat output [kW]Type test standardDIN 18891Year of testing2000Test laboratoryRRF Rhein-Ruhr-Feuerstättenprüfstelle GmbHIumber of test laboratory2	Manufacturer	Supra S.A.
Iominal heat output [kW] 7 Continuous burning appliance — Type test standard DIN 18891 Year of testing 2000 Test laboratory RRF Rhein-Ruhr-Feuerstättenprüfstelle GmbH Iumber of test laboratory 2	Model	Tura
Continuous burning appliance IN 18891 Yype test standard DIN 18891 Year of testing 2000 Yest laboratory RRF Rhein-Ruhr-Feuerstättenprüfstelle GmbH Number of test laboratory 2	Product code	Marke Supra
ype test standardDIN 18891'ear of testing2000rest laboratoryRRF Rhein-Ruhr-Feuerstättenprüfstelle GmbHJumber of test laboratory2	Nominal heat output [kW]	7
Vear of testing 2000 Vest laboratory RRF Rhein-Ruhr-Feuerstättenprüfstelle GmbH Number of test laboratory 2	Continuous burning appliance	—
RRF Rhein-Ruhr-Feuerstättenprüfstelle GmbH lumber of test laboratory 2	Type test standard	DIN 18891
lumber of test laboratory 2	Year of testing	2000
-	Test laboratory	RRF Rhein-Ruhr-Feuerstättenprüfstelle GmbH
Number of test report RO-91 00 58 Z	Number of test laboratory	2
	Number of test report	RO-91 00 58 Z

Flue gas values

	Wood
Flue gas mass flow [g/s]	5
Flue gas mass flow [g/s]	330
Necessary flue draught [Pa]	12

Further important characteristics of the appliance

Suitability for installation to a shared flue ¹⁾	
Connectivity to the central heating system	-
General technical approval for room sealed operation	-

¹⁾ For unsealed operation it is possible to install the appliances to a shared flue system (please see installation manual).

On behalf of the manufacturer, the HKI Industrieverband e.V. hereby confirms compliance with the respective requirements* in accordance with 1.BImSchV. The type test report of the fireplace has been submitted to the HKI Industrieverband e.V.

* A green check mark with a "1" indicates that the requirements of the 1st BImSchV are fulfilled, a green check mark with a "2" indicates that the 2nd level of the 1st BImSchV is fulfilled. A yellow check mark shows that the transitional regulation of the 1st BImSchV is fulfilled and a red line means that the 1st BImSchV is not fulfilled.

Stufe 1 Grandfathering
×
<
-

Evaluation of emission data and efficiency Lignite briquettes

Norm DIN EN 13240 (Intermittent burning): Roomheater with flat-layer firing	Evaluation
) - 1.BlmSchV	Stufe 1 Grandfathering
A - Austrian regulation referred to Art 15a B-VG	!
CH - Swiss clean air act	×

Stufe 2	Compliant with the requirements of the 2nd stage of the 1.BImSchV (only for Germany)			
Stufe 1	Compliant with the requirements of the 1st stage of the 1.BImSchV (only for Germany)			
2015	Compliant with the requirements of the Austrian Agreement pursuant to Art. 15a B-VG from 2015 (applies only to Austria)			
7☆	Compliant with the requirements for the "Crédit d'impôt" promotion in France, the fireplace complies with the classification 7* of the Flamme Verte Label			
6 ☆	Compliant with the requirements for the "Crédit d'impôt" promotion in France, the fireplace complies with the classification 6* of the Flamme Verte Label			
5☆	Compliant with the requirements for the "Crédit d'impôt" promotion in France, the fireplace complies with the classification 5* of the Flamme Verte Label			
*	Compliant with the requirements of the 1 star stage in Italy.			
क्रे क्रे	Compliant with the requirements of the 2 star stage in Italy.			
* 京京	Compliant with the requirements of the 3 star stage in Italy.			
***	Compliant with the requirements of the 4 star stage in Italy.			
****	Compliant with the requirements of the 5 star stage in Italy.			
	Fulfils the requirements			
\checkmark	Complies with requirements of the transition ruling (1.BImSchV)			
-	Requirements are not fulfilled			
—	No information/unknown			
!	No measuring values are available for this fuel, operation with this fuel is not permitted			
No svi	No symbol means that there are no requirements.			

Here you will find further information