

Appliances properties: LEDA Werk GmbH & Co. KG - K72 73

| Nodel K72 73 Iominal heat output [kW] 6 Continuous burning appliance — Type test standard DIN 18892 | Date of entry | Apr 6, 2011 | |
|---|------------------------------|-------------------------|--|
| Iominal heat output [kW] 6 Continuous burning appliance — Type test standard DIN 18892 | Manufacturer | LEDA Werk GmbH & Co. KG | |
| Continuous burning appliance Image: Continuous burning appliance Type test standard DIN 18892 | Model | K72 73 | |
| bin 18892 | Nominal heat output [kW] | 6 | |
| | Continuous burning appliance | — | |
| ear of testing 1992 | Type test standard | DIN 18892 | |
| • | Year of testing | 1992 | |
| | Year of testing | 1992 | |

| Suitability for installation to a shared flue ¹⁾ | — |
|---|---|
| Connectivity to the central heating system | - |
| General technical approval for room sealed operation | - |
| ¹⁾ For unsealed operation it is possible to install the appliances to a shared flue system (please see installation manual). | |

On behalf of the manufacturer, the HKI Industrieverband e.V. hereby confirms compliance with the respective requirements* in accordance with 1.BImSchV. The type test report of the fireplace has been submitted to the HKI Industrieverband e.V.

* A green check mark with a "1" indicates that the requirements of the 1st BImSchV are fulfilled, a green check mark with a "2" indicates that the 2nd level of the 1st BImSchV is fulfilled. A yellow check mark shows that the transitional regulation of the 1st BImSchV is fulfilled and a red line means that the 1st BImSchV is not fulfilled.

| Evaluation of emission data and efficiency Wood | |
|---|---|
| Norm : Inset appliance with flat-layer firing | Evaluation |
| D - 1.BImSchV | |
| | According to the transitional rule §26 the appliance can be used until 31.12.2020 |
| F - Crédit d'impôt à la transition énergétique | |
| | |
| | |
| Evaluation of emission data and efficiency Lignite briquettes | |
| | |
| Norm : Inset appliance with flat-layer firing | Evaluation |
| D - 1.BImSchV | According to the transitional rule §26 the appliance can be used until 31.12.2020 |

| Stufe 2 | Compliant with the requirements of the 2nd stage of the 1.BImSchV (only for Germany) |
|--------------|---|
| Stufe 1 | Compliant with the requirements of the 1st stage of the 1.BImSchV (only for Germany) |
| 2015 | Compliant with the requirements of the Austrian Agreement pursuant to Art. 15a B-VG from 2015 (applies only to Austria) |
| 7☆ | Compliant with the requirements for the "Crédit d'impôt" promotion in France, the fireplace complies with the classification 7* of the Flamme Verte Label |
| 6☆ | Compliant with the requirements for the "Crédit d'impôt" promotion in France, the fireplace complies with the classification 6* of the Flamme Verte Label |
| 5☆ | Compliant with the requirements for the "Crédit d'impôt" promotion in France, the fireplace complies with the classification 5* of the Flamme Verte Label |
| * | Compliant with the requirements of the 1 star stage in Italy. |
| * | Compliant with the requirements of the 2 star stage in Italy. |
| * 京京 | Compliant with the requirements of the 3 star stage in Italy. |
| ** | Compliant with the requirements of the 4 star stage in Italy. |
| **** | Compliant with the requirements of the 5 star stage in Italy. |
| | Fulfils the requirements |
| \checkmark | Complies with requirements of the transition ruling (1.BImSchV) |
| _ | Requirements are not fulfilled |
| — | No information/unknown |
| ! | No measuring values are available for this fuel, operation with this fuel is not permitted |
| No svi | nbol means that there are no requirements. |
| - | |

Here you will find further information