

Appliances properties: GKT Heiz- & Klimatechnik GmbH - Aura Mini

Master data Date of entry Apr 19, 2011 GKT Heiz- & Klimatechnik GmbH Manufacturer Model Aura Mini Nominal heat output [kW] Continuous burning appliance Type test standard DIN 18891 2001 Year of testing **Test laboratory** DMT Feuerstätten Prüfstelle Number of test laboratory 20 Number of test report RO-91 01 62 Flue gas values Wood Flue gas mass flow [g/s] 5 Flue gas mass flow [g/s] 275 Necessary flue draught [Pa] 12

Further important characteristics of the appliance

Suitability for installation to a shared flue¹⁾



On behalf of the manufacturer, the HKI Industrieverband e.V. hereby confirms compliance with the respective requirements* in accordance with 1.BImSchV. The type test report of the fireplace has been submitted to the HKI Industrieverband e.V.

Connectivity to the central heating system

General technical approval for room sealed operation

^{*}A green check mark with a "1" indicates that the requirements of the 1st BImSchV are fulfilled, a green check mark with a "2" indicates that the 2nd level of the 1st BImSchV is fulfilled. A yellow check mark shows that the transitional regulation of the 1st BImSchV is fulfilled and a red line means that the 1st BImSchV is not fulfilled.

Norm DIN EN 13240 (Intermittent burning): Roomheater with flat-layer firing D - 1.BlmSchV According to the transitional rule §26 the appliance can be used until 31.12.2024

Evaluation of emission data and efficiency Lignite briquettes

Evaluation of emission data and efficiency Wood

F - Crédit d'impôt à la transition énergétique

Norm DIN EN 13240 (Intermittent burning): Roomheater with flat-layer firing

D - 1.BImSchV

According to the transitional rule §26 the appliance can be used until 31.12.2024



No symbol means that there are no requirements.

No measuring values are available for this fuel, operation with this fuel is not permitted

Here you will find further information