

## Appliances properties: Supra S.A. - Groenland D - Marke Worldkamin

Master data	
Date of entry	Feb 26, 2008
Manufacturer	Supra S.A.
Model	Groenland D
Product code	Marke Worldkamin
Nominal heat output [kW]	5
Continuous burning appliance	—
Type test standard	DIN 18891
Year of testing	1998
Test laboratory	RRF Rhein-Ruhr-Feuerstättenprüfstelle GmbH
Number of test laboratory	2
Number of test report	RO-91 98 38

Flue gas values

	Wood
Flue gas mass flow [g/s]	4
Flue gas mass flow [g/s]	348
Necessary flue draught [Pa]	12

Further important characteristics of the appliance

Suitability for installation to a shared flue <sup>1)</sup>	
Connectivity to the central heating system	—
General technical approval for room sealed operation	—

<sup>1)</sup> For unsealed operation it is possible to install the appliances to a shared flue system (please see installation manual).

On behalf of the manufacturer, the HKI Industrieverband e.V. hereby confirms compliance with the respective requirements\* in accordance with 1.BImSchV. The type test report of the fireplace has been submitted to the HKI Industrieverband e.V.

\* A green check mark with a "1" indicates that the requirements of the 1st BImSchV are fulfilled, a green check mark with a "2" indicates that the 2nd level of the 1st BImSchV is fulfilled. A yellow check mark shows that the transitional regulation of the 1st BImSchV is fulfilled and a red line means that the 1st BImSchV is not fulfilled.

Norm DIN EN 13240 (Intermittent burning): Roomheater with flat-layer	Fuchation	
firing	Evaluation	
D - 1.BImSchV	According to the transitional rule §26 the appliance can be used until 31.12.2024	
A - Austrian regulation referred to Art 15a B-VG	-	
CH - Swiss clean air act	-	
DK - Danish regulation for air pollution from wood burners	•	
F - Crédit d'impôt à la transition énergétique	<u> </u>	

Evaluation of emission data and efficiency Wood

## Evaluation of emission data and efficiency Lignite briquettes Norm DIN EN 13240 (Intermittent burning): Roomheater with flat-layer Evaluation firing Evaluation D - 1.BlmSchV According to the transitional rule §26 the appliance can be used until 31.12.2024 A - Austrian regulation referred to Art 15a B-VG Image: CH - Swiss clean air act

Stufe 2	Compliant with the requirements of the 2nd stage of the 1.BImSchV (only for Germany)			
Stufe 1	Compliant with the requirements of the 1st stage of the 1.BImSchV (only for Germany)			
2015	Compliant with the requirements of the Austrian Agreement pursuant to Art. 15a B-VG from 2015 (applies only to Austria)			
<b>7☆</b>	Compliant with the requirements for the "Crédit d'impôt" promotion in France, the fireplace complies with the classification 7* of the Flamme Verte Label			
6 <b>☆</b>	Compliant with the requirements for the "Crédit d'impôt" promotion in France, the fireplace complies with the classification 6* of the Flamme Verte Label			
<b>5☆</b>	Compliant with the requirements for the "Crédit d'impôt" promotion in France, the fireplace complies with the classification 5* of the Flamme Verte Label			
*	Compliant with the requirements of the 1 star stage in Italy.			
क्रे क्रे	Compliant with the requirements of the 2 star stage in Italy.			
<b>*</b> 京京	Compliant with the requirements of the 3 star stage in Italy.			
***	Compliant with the requirements of the 4 star stage in Italy.			
****	Compliant with the requirements of the 5 star stage in Italy.			
	Fulfils the requirements			
$\checkmark$	Complies with requirements of the transition ruling (1.BImSchV)			
—	Requirements are not fulfilled			
—	No information/unknown			
!	No measuring values are available for this fuel, operation with this fuel is not permitted			
No svi	No symbol means that there are no requirements.			

Here you will find further information