

## Appliances properties: Olsberg GmbH - Königshütte - Taurus Aqua - 28/858X

Master data

Date of entry Jul 3, 2014

Manufacturer Olsberg GmbH - Königshütte

**Model** Taurus Aqua

Product code 28/858X

Nominal heat output [kW] 8

Declared nominal space heating output [kW] 3

Nominal water heating output [kW] 4.2

Continuous burning appliance

Type test standard DIN EN 13240

Year of testing 2012

**Test laboratory** RWE Rheinbraun AG

Number of test laboratory 4.1

Number of test report FSPS-Wa 2162-EN

Flue gas values

Water operating pressure [bar]

	Wood	Coal
Flue gas mass flow [g/s]	8.5	8.5
Flue gas mass flow [g/s]	280	280
Necessary flue draught [Pa]	12	12

2.5

Further important characteristics of the appliance

Suitability for installation to a shared flue 1)



Connectivity to the central heating system



## General technical approval for room sealed operation

On behalf of the manufacturer, the HKI Industrieverband e.V. hereby confirms compliance with the respective requirements\* in accordance with 1.BImSchV. The type test report of the fireplace has been submitted to the HKI Industrieverband e.V.

<sup>1)</sup> For unsealed operation it is possible to install the appliances to a shared flue system (please see installation manual).

<sup>\*</sup> A green check mark with a "1" indicates that the requirements of the 1st BImSchV are fulfilled, a green check mark with a "2" indicates that the 2nd level of the 1st BImSchV is fulfilled. A yellow check mark shows that the transitional regulation of the 1st BImSchV is fulfilled and a red line means that the 1st BImSchV is not fulfilled.

## Evaluation of emission data and efficiency Wood

Norm DIN EN 13240 (Intermittent burning): Roomheater with flat-layer firing	Evaluation
D - 1.BlmSchV	Stufe 2
A - Austrian regulation referred to Art 15a B-VG	2015
CH - Swiss clean air act	✓
DK - Danish regulation for air pollution from wood burners	✓
F - Crédit d'impôt à la transition énergétique	<b>√</b> 7 <b>☆</b>

Evaluation of	i amaiaaiam	4040 000	l officiones:	I iamita	h wi au . a tta a
				n komine	minimentes

Norm DIN EN 13240 (Intermittent burning): Roomheater with flat-layer firing	Evaluation
) - 1.BlmSchV	Stufe 2
- Austrian regulation referred to Art 15a B-VG	✓
H - Swiss clean air act	•



No symbol means that there are no requirements.

No measuring values are available for this fuel, operation with this fuel is not permitted

Here you will find further information