

Appliances properties: Buderus, Bosch Thermotechnik GmbH - Thermoplus H136/ H136U

Master data

Date of entry Feb 17, 2010

Manufacturer Buderus, Bosch Thermotechnik GmbH

Model Thermoplus H136/ H136U

Nominal heat output [kW]

Continuous burning appliance

Type test standard DIN EN 13229

Year of testing 2005

Test laboratory TÜV SÜD Industrie Service GmbH

Number of test laboratory

Number of test report W-O 1077-00/05



Flue gas values

| | Wood |
|-----------------------------|------|
| Flue gas mass flow [g/s] | 16 |
| Flue gas mass flow [g/s] | 445 |
| Necessary flue draught [Pa] | 14 |

Further important characteristics of the appliance

Suitability for installation to a shared flue¹⁾

Connectivity to the central heating system

General technical approval for room sealed operation

On behalf of the manufacturer, the HKI Industrieverband e.V. hereby confirms compliance with the respective requirements* in accordance with 1.BImSchV. The type test report of the fireplace has been submitted to the HKI Industrieverband e.V.

¹⁾ For unsealed operation it is possible to install the appliances to a shared flue system (please see installation manual).

^{*}A green check mark with a "1" indicates that the requirements of the 1st BImSchV are fulfilled, a green check mark with a "2" indicates that the 2nd level of the 1st BImSchV is fulfilled. A yellow check mark shows that the transitional regulation of the 1st BImSchV is fulfilled and a red line means that the 1st BImSchV is not fulfilled.

| orm : Inset appliances with feeder firing | Evaluation |
|--|---------------------------|
| - 1.BlmSchV | Stufe 1 Grandfathering |
| Austrian regulation referred to Art 15a B-VG | _ |
| - Swiss clean air act | _ |
| Crédit d'impôt à la transition énergétique | ♦ |

| | | | cc: . | |
|------------|-------------|-----------|------------|--------------------|
| Evaluation | of emission | ⊦data and | efficiency | Lignite briquettes |
| | | | | |

Evaluation of emission data and efficiency Wood

| Norm : Inset appliances with feeder firing | Evaluation |
|--|------------|
| D - 1.BlmSchV | |



No symbol means that there are no requirements.

No measuring values are available for this fuel, operation with this fuel is not permitted

Here you will find further information