

Appliances properties: Austroflamm GmbH - Ke 45x51 Kr mit Aufsatzregister

Master data

Date of entry	Jan 3, 2012
Manufacturer	Austroflamm GmbH
Model	Ke 45x51 Kr mit Aufsatzregister
Nominal heat output [kW]	6
Continuous burning appliance	—
Type test standard	DIN EN 13229
Year of testing	2010
Test laboratory	RRF Rhein-Ruhr-Feuerstättenprüfstelle GmbH
Number of test laboratory	2
Number of test report	RRF - 29 10 2473

Flue gas values

	Wood
Flue gas mass flow [g/s]	5.39
Flue gas mass flow [g/s]	276
Necessary flue draught [Pa]	12

Further important characteristics of the appliance

Suitability for installation to a shared flue ¹⁾	✓
Connectivity to the central heating system	—
General technical approval for room sealed operation	✓
Number of approval for room sealed operation	Z-43.12-273

¹⁾ For unsealed operation it is possible to install the appliances to a shared flue system (please see installation manual).

On behalf of the manufacturer, the HKI Industrieverband e.V. hereby confirms compliance with the respective requirements* in accordance with 1.BImSchV. The type test report of the fireplace has been submitted to the HKI Industrieverband e.V.

* A green check mark with a „1“ indicates that the requirements of the 1st BImSchV are fulfilled, a green check mark with a „2“ indicates that the 2nd level of the 1st BImSchV is fulfilled. A yellow check mark shows that the transitional regulation of the 1st BImSchV is fulfilled and a red line means that the 1st BImSchV is not fulfilled.





























Evaluation of emission data and efficiency Wood

Norm : Inset appliances (with closed firedoor)	Evaluation
EU - Regulation (EU) 2015/1185 (Ecodesign)	✓
D - 1.BImSchV	✓ Stufe 2
A - Austrian regulation referred to Art 15a B-VG	✓
CH - Swiss clean air act	✓
DK - Danish regulation for air pollution from wood burners	✓
F - Crédit d'impôt à la transition énergétique	✓ 7★
I - Italian Decree No. 186	✓ ★★★

Evaluation of emission data and efficiency Lignite briquettes

Norm : Inset appliances (with closed firedoor)	Evaluation
D - 1.BImSchV	!

Emission evaluation legend

-    Compliant with the requirements of the 2nd stage of the 1.BImSchV (only for Germany)
-   Compliant with the requirements of the 1st stage of the 1.BImSchV (only for Germany)
-   2015 Compliant with the requirements of the Austrian Agreement pursuant to Art. 15a B-VG from 2015 (applies only to Austria)
-   7★ Compliant with the requirements for the „Crédit d'impôt“ promotion in France, the fireplace complies with the classification 7* of the Flamme Verte Label
-   6★ Compliant with the requirements for the „Crédit d'impôt“ promotion in France, the fireplace complies with the classification 6* of the Flamme Verte Label
-   5★ Compliant with the requirements for the „Crédit d'impôt“ promotion in France, the fireplace complies with the classification 5* of the Flamme Verte Label
-   ★ Compliant with the requirements of the 1 star stage in Italy.
-   ★★ Compliant with the requirements of the 2 star stage in Italy.
-   ★★★ Compliant with the requirements of the 3 star stage in Italy.
-   ★★★★ Compliant with the requirements of the 4 star stage in Italy.
-   ★★★★★ Compliant with the requirements of the 5 star stage in Italy.
-  Fulfils the requirements
-  Complies with requirements of the transition ruling (1.BImSchV)
-  Requirements are not fulfilled
-  No information/unknown
-  ! No measuring values are available for this fuel, operation with this fuel is not permitted

No symbol means that there are no requirements.

Here you will find further information