

## Appliances properties: Wamsler Haus- und Küchentechnik GmbH - KS109-6-A/A KOHLE-HOLZOFEN (bis 2014) - W20001096205

Master data					
Date of onting	Mar 14, 2008				
Date of entry Manufacturer	Wamsler Haus- und Küchentechnik GmbH				
Model					
Product code	KS109-6-A/A KOHLE-HOLZOFEN (bis 2014) W20001096205				
	6				
Nominal heat output [kW]	0				
Continuous burning appliance	_				
Type test standard	DIN EN 13240				
Year of testing	2007				
Test laboratory	RWE Rheinbraun AG				
Number of test laboratory	per of test laboratory 4.1				
Number of test report					
Flue gas values					
		Wood			
Flue gas mass flow [g/s]		6			
Flue gas mass flow [g/s]		330			
Necessary flue draught [Pa]		11			
Further important characteristics of the appliance					
Further important characteristics of the appliance					
Suitability for installation to a shared flue 1)		<b>*</b>			

<sup>1)</sup> For unsealed operation it is possible to install the appliances to a shared flue system (please see installation manual).

General technical approval for room sealed operation

On behalf of the manufacturer, the HKI Industrieverband e.V. hereby confirms compliance with the respective requirements\* in accordance with 1.BImSchV. The type test report of the fireplace has been submitted to the HKI Industrieverband e.V.

<sup>\*</sup> A green check mark with a "1" indicates that the requirements of the 1st BImSchV are fulfilled, a green check mark with a "2" indicates that the 2nd level of the 1st BImSchV is fulfilled. A yellow check mark shows that the transitional regulation of the 1st BImSchV is fulfilled and a red line means that the 1st BImSchV is not fulfilled.

## Evaluation of emission data and efficiency Wood

Norm DIN EN 13240 (Intermittent burning): Roomheater with flat-layer firing	Evaluation
D - 1.BlmSchV	Stufe 2
A - Austrian regulation referred to Art 15a B-VG	_
CH - Swiss clean air act	✓
DK - Danish regulation for air pollution from wood burners	✓
F - Crédit d'impôt à la transition énergétique	<b>√</b> 7 <b>☆</b>

Evaluation of	omiccion	data a	nd officionav	Lianita	briguettee
	emission	uala a	na emciency	LIGITILE	briquettes

Norm DIN EN 13240 (Intermittent burning): Roomheater with flat-layer firing	Evaluation
O - 1.BlmSchV	Stufe 2
A - Austrian regulation referred to Art 15a B-VG	✓
CH - Swiss clean air act	•



No symbol means that there are no requirements.

No measuring values are available for this fuel, operation with this fuel is not permitted

Here you will find further information