

Appliances properties: Camina & Schmid Feuerdesign und Technik GmbH & Co. KG - Pano/Pano FD (5545, 5545h, 5551, 5551h, 5557, 5557h)

Master data		
Date of entry	Sep 28, 2011	
Manufacturer	Camina & Schmid Feuerdesign und Technik GmbH & Co. KG	
Model	Pano/Pano FD (5545, 5545h, 5551, 5551h, 5557, 5557h)	
Nominal heat output [kW]	7	
Continuous burning appliance	_	
Гуре test standard	DIN EN 13229	
Year of testing	2007	
Fest laboratory	RRF Rhein-Ruhr-Feuerstättenprüfstelle GmbH	
Number of test laboratory	2	
Number of test report	RRF-29 06 1075	

Flue gas values

	Wood
Flue gas mass flow [g/s]	5.9
Flue gas mass flow [g/s]	340
Necessary flue draught [Pa]	12

Further important characteristics of the appliance

Suitability for installation to a shared flue ¹⁾	
Connectivity to the central heating system	—
General technical approval for room sealed operation	-

¹⁾ For unsealed operation it is possible to install the appliances to a shared flue system (please see installation manual).

On behalf of the manufacturer, the HKI Industrieverband e.V. hereby confirms compliance with the respective requirements* in accordance with 1.BImSchV. The type test report of the fireplace has been submitted to the HKI Industrieverband e.V.

* A green check mark with a "1" indicates that the requirements of the 1st BImSchV are fulfilled, a green check mark with a "2" indicates that the 2nd level of the 1st BImSchV is fulfilled. A yellow check mark shows that the transitional regulation of the 1st BImSchV is fulfilled and a red line means that the 1st BImSchV is not fulfilled.

orm : Inset appliances (with closed firedoor)	Evaluation
The inset appliances (with closed meddol)	Lvaidation
- 1.BImSchV	
	Stufe 2
ustrian regulation referred to Art 15a B-VG	• • • • • • • • • • • • • • • • • • •
Swiss clean air act	· · · · · · · · · · · · · · · · · · ·
Crédit d'impôt à la transition énergétique	7\$

Evaluation of emission data and efficiency Lignite briquettes

Norm : Inset appliances (with closed firedoor)	Evaluation
D - 1.BImSchV	According to the transitional rule §26 the appliance can be used until 31.12.2024
CH - Swiss clean air act	

Stufe 2	Compliant with the requirements of the 2nd stage of the 1.BImSchV (only for Germany)				
Stufe 1	Compliant with the requirements of the 1st stage of the 1.BImSchV (only for Germany)				
2015	Compliant with the requirements of the Austrian Agreement pursuant to Art. 15a B-VG from 2015 (applies only to Austria)				
7☆	Compliant with the requirements for the "Crédit d'impôt" promotion in France, the fireplace complies with the classification 7* of the Flamme Verte Label				
6 ☆	Compliant with the requirements for the "Crédit d'impôt" promotion in France, the fireplace complies with the classification 6* of the Flamme Verte Label				
5☆	Compliant with the requirements for the "Crédit d'impôt" promotion in France, the fireplace complies with the classification 5* of the Flamme Verte Label				
*	Compliant with the requirements of the 1 star stage in Italy.				
क्रे क्रे	Compliant with the requirements of the 2 star stage in Italy.				
* 京京	Compliant with the requirements of the 3 star stage in Italy.				
***	Compliant with the requirements of the 4 star stage in Italy.				
****	Compliant with the requirements of the 5 star stage in Italy.				
	Fulfils the requirements				
\checkmark	Complies with requirements of the transition ruling (1.BImSchV)				
-	Requirements are not fulfilled				
—	No information/unknown				
!	No measuring values are available for this fuel, operation with this fuel is not permitted				
No svi	No symbol means that there are no requirements.				

Here you will find further information