

Appliances properties: LEDA Werk GmbH & Co. KG - KARAT KE 571 N

Master data Date of entry Jun 24, 2022 LEDA Werk GmbH & Co. KG Manufacturer Model KARAT KE 571 N Nominal heat output [kW] 10 Continuous burning appliance Type test standard **DIN EN 13229** 2015 Year of testing **Test laboratory** RWE Rheinbraun AG Number of test laboratory 4.1 Number of test report FSPS-Wa 2290-EN

| F | lue | gas | va | lues |
|---|-----|-----|----|------|
|---|-----|-----|----|------|

| | Wood | | |
|-----------------------------|------|--|--|
| Flue gas mass flow [g/s] | 10.8 | | |
| Flue gas mass flow [g/s] | 194 | | |
| Necessary flue draught [Pa] | 12 | | |
| | | | |

Further important characteristics of the appliance

Suitability for installation to a shared flue¹⁾



Connectivity to the central heating system

General technical approval for room sealed operation

On behalf of the manufacturer, the HKI Industrieverband e.V. hereby confirms compliance with the respective requirements* in accordance with 1.BImSchV. The type test report of the fireplace has been submitted to the HKI Industrieverband e.V.

¹⁾ For unsealed operation it is possible to install the appliances to a shared flue system (please see installation manual).

^{*} A green check mark with a "1" indicates that the requirements of the 1st BImSchV are fulfilled, a green check mark with a "2" indicates that the 2nd level of the 1st BImSchV is fulfilled. A yellow check mark shows that the transitional regulation of the 1st BImSchV is fulfilled and a red line means that the 1st BImSchV is not fulfilled.

Evaluation of emission data and efficiency Wood

| Norm : Inset appliances (with closed firedoor) | Evaluation |
|--|------------|
| D - 1.BlmSchV | Stufe 2 |
| A - Austrian regulation referred to Art 15a B-VG | ✓ |
| CH - Swiss clean air act | ✓ |
| DK - Danish regulation for air pollution from wood burners | ✓ |
| F - Crédit d'impôt à la transition énergétique | 7☆ |

Evaluation of emission data and efficiency Lignite briquettes

| Norm : Inset appliances (with closed firedoor) | Evaluation |
|--|------------|
| D - 1.BImSchV | Ţ. |



No symbol means that there are no requirements.

No measuring values are available for this fuel, operation with this fuel is not permitted

Here you will find further information