

Appliances properties: Wamsler Haus- und Küchentechnik GmbH - TYP11180-CASA S APSA STSA RAINBOW 6KW (ab 2017) - W20001118055

Master data

Date of entry Jul 18, 2012

Manufacturer Wamsler Haus- und Küchentechnik GmbH

Model TYP11180-CASA S APSA STSA RAINBOW 6KW (ab 2017)

Product code W20001118055

Nominal heat output [kW] 6

Declared nominal space heating output [kW] 6

Continuous burning appliance

Type test standard DIN EN 13240

Year of testing 2011

Test laboratory TÜV Süd Kermi Kft.

Number of test laboratory 14

Number of test report R-247497

Flue gas values


	Wood	Coal
Flue gas mass flow [g/s]	6.2	7.2
Flue gas mass flow [g/s]	268	271
Necessary flue draught [Pa]	12	12

Further important characteristics of the appliance

Suitability for installation to a shared flue 1)



Connectivity to the central heating system



¹⁾ For unsealed operation it is possible to install the appliances to a shared flue system (please see installation manual).

On behalf of the manufacturer, the HKI Industrieverband e.V. hereby confirms compliance with the respective requirements* in accordance with 1.BImSchV. The type test report of the fireplace has been submitted to the HKI Industrieverband e.V.

^{*} A green check mark with a "1" indicates that the requirements of the 1st BImSchV are fulfilled, a green check mark with a "2" indicates that the 2nd level of the 1st BImSchV is fulfilled. A yellow check mark shows that the transitional regulation of the 1st BImSchV is fulfilled and a red line means that the 1st BImSchV is not fulfilled.

Evaluation of emission data and efficiency Wood

Norm DIN EN 13240 (Intermittent burning): Roomheater with flat-layer firing	Evaluation
D - 1.BlmSchV	Stufe 2
A - Austrian regulation referred to Art 15a B-VG	2015
CH - Swiss clean air act	✓
DK - Danish regulation for air pollution from wood burners	✓
F - Crédit d'impôt à la transition énergétique	√ 7 ☆

Evaluation of	i amaiaaiam	4040 000	officiono.	I iamita	h wi au . a tta a
			i elliciency	n komine	minimentes

Norm DIN EN 13240 (Intermittent burning): Roomheater with flat-layer firing	Evaluation
) - 1.BlmSchV	Stufe 2
- Austrian regulation referred to Art 15a B-VG	✓
H - Swiss clean air act	•



No symbol means that there are no requirements.

No measuring values are available for this fuel, operation with this fuel is not permitted

Here you will find further information