



## Appliances properties: Nordpeis AS - Salzburg M

Master data		
Date of entry	Sep 22, 2016	
Manufacturer	Nordpeis AS	
Model	Salzburg M	
Continuous burning appliance	_	
Thermal output	14,945	
Type test standard	DIN EN 15250	
Year of testing	2012	
Test laboratory	RRF Rhein-Ruhr-Feuerstättenprüfstelle GmbH	
Number of test laboratory	2	
Number of test report	RRF - 50 11 2758	
Flue gas values		Wood
Flue gas mass flow [g/s]		14.7
Flue gas mass flow [g/s]		
		163
Necessary flue draught [Pa]		163 12
Necessary flue draught [Pa]		
Necessary flue draught [Pa]  Further important characteristics of the appliance		

Connectivity to the central heating system

General technical approval for room sealed operation

On behalf of the manufacturer, the HKI Industrieverband e.V. hereby confirms compliance with the respective requirements\* in accordance with 1.BImSchV. The type test report of the fireplace has been submitted to the HKI Industrieverband e.V.

<sup>1)</sup> For unsealed operation it is possible to install the appliances to a shared flue system (please see installation manual).

<sup>\*</sup> A green check mark with a "1" indicates that the requirements of the 1st BImSchV are fulfilled, a green check mark with a "2" indicates that the 2nd level of the 1st BImSchV is fulfilled. A yellow check mark shows that the transitional regulation of the 1st BImSchV is fulfilled and a red line means that the 1st BImSchV is not fulfilled.



This appliance is authorized to use the HKI quality label.

Evaluation of emission data and efficiency Wood		
Norm : Slow heat release appliances	Evaluation	
D - 1.BlmSchV	Stufe 2	
A - Austrian regulation referred to Art 15a B-VG	✓	
CH - Swiss clean air act	✓	
OK - Danish regulation for air pollution from wood burners	✓	
- Crédit d'impôt à la transition énergétique	<b>✓</b>	



No symbol means that there are no requirements.

No measuring values are available for this fuel, operation with this fuel is not permitted

Here you will find further information