

Appliances properties: BRUNNER - HBO 2s

Master data	
Date of entry	May 25, 2016
Manufacturer	BRUNNER
Model	HBO 2s
Nominal heat output [kW]	11
Declared nominal space heating output [kW]	11
Continuous burning appliance	_
Type test standard	DIN EN 13229
Year of testing	2006
Test laboratory	TÜV SÜD Industrie Service GmbH
Number of test laboratory	1
Number of test report	W-O 1084-00/06
Flue gas values	
Flue gas values	Wood
Flue gas values Flue gas mass flow [g/s]	Wood 160
Flue gas mass flow [g/s]	
	160
Flue gas mass flow [g/s]	160
Flue gas mass flow [g/s] Necessary flue draught [Pa]	160

¹⁾ For unsealed operation it is possible to install the appliances to a shared flue system (please see installation manual).

General technical approval for room sealed operation

On behalf of the manufacturer, the HKI Industrieverband e.V. hereby confirms compliance with the respective requirements* in accordance with 1.BImSchV. The type test report of the fireplace has been submitted to the HKI Industrieverband e.V.

^{*} A green check mark with a "1" indicates that the requirements of the 1st BImSchV are fulfilled, a green check mark with a "2" indicates that the 2nd level of the 1st BImSchV is fulfilled. A yellow check mark shows that the transitional regulation of the 1st BImSchV is fulfilled and a red line means that the 1st BImSchV is not fulfilled.

Norm: Inset appliances (with closed firedoor) D - 1.BImSchV A - Austrian regulation referred to Art 15a B-VG CH - Swiss clean air act DK - Danish regulation for air pollution from wood burners F - Crédit d'impôt à la transition énergétique

Evaluation of emission data and efficiency Lignite briquettes

Evaluation of emission data and efficiency Wood

Norm: Inset appliances (with closed firedoor)

D - 1.BlmSchV

Evaluation

According to the transitional rule §26 the appliance can be used until 31.12.2024



No symbol means that there are no requirements.

No measuring values are available for this fuel, operation with this fuel is not permitted

Here you will find further information