

Appliances properties: Supra S.A. - 581 (Janus) - Marke Worldkamin

facturer Supra S.A. 581 (Janus)	
I 581 (Janus)	
Martin Martin	
uct code Marke Worldkamin	
nal heat output [kW] 10	
nuous burning appliance	
test standard DIN 18895	
of testing 1996	
aboratory RRF Rhein-Ruhr-Feuerstättenprüfstelle GmbH	
per of test laboratory 2	
per of test report RO-95 96 84	
gas values	
	Wood
gas mass flow [g/s]	14
gas mass flow [g/s]	340
ssary flue draught [Pa]	14

Further important characteristics of the appliance

Suitability for installation to a shared flue 1)



Connectivity to the central heating system

General technical approval for room sealed operation

1) For unsealed operation it is possible to install the appliances to a shared flue system (please see installation manual).

On behalf of the manufacturer, the HKI Industrieverband e.V. hereby confirms compliance with the respective requirements* in accordance with 1.BImSchV. The type test report of the fireplace has been submitted to the HKI Industrieverband e.V.

^{*} A green check mark with a "1" indicates that the requirements of the 1st BImSchV are fulfilled, a green check mark with a "2" indicates that the 2nd level of the 1st BImSchV is fulfilled. A yellow check mark shows that the transitional regulation of the 1st BImSchV is fulfilled and a red line means that the 1st BImSchV is not fulfilled.

Evaluation of emission data and efficiency Wood	
Norm : Inset appliances (with closed firedoor)	Evaluation
D - 1.BlmSchV	Grandfathering
A - Austrian regulation referred to Art 15a B-VG	_
CH - Swiss clean air act	_
F - Crédit d'impôt à la transition énergétique	_

Evaluation of emission data and efficiency Lignite briquettes		
Norm : Inset appliances (with closed firedoor)	Evaluation	
D - 1.BlmSchV	According to the transitional rule §26 the appliance can be used until 31.12.2024	
CH - Swiss clean air act	!	



No symbol means that there are no requirements.

No measuring values are available for this fuel, operation with this fuel is not permitted

Here you will find further information