

Appliances properties: Spartherm Feuerungstechnik GmbH - Noto

Master data		
Date of entry	Feb 18, 2015	
Manufacturer	Spartherm Feuerungstechnik GmbH	
Model	Noto	
Nominal heat output [kW]	7	
Continuous burning appliance	_	
Type test standard	DIN EN 13240	
Year of testing	2014	
Test laboratory	RRF Rhein-Ruhr-Feuerstättenprüfstelle GmbH	
Number of test laboratory	2	
N	RRF - 40 14 3717	
Number of test report	NNF - 40 14 3717	
	NNF - 40 14 3717	Wood
Flue gas values	NNF - 40 14 3717	Wood 12
Flue gas values Flue gas mass flow [g/s]	NNF - 40 14 3717	
Flue gas values Flue gas mass flow [g/s] Flue gas mass flow [g/s] Necessary flue draught [Pa]	NNF - 40 14 3717	12
Flue gas values Flue gas mass flow [g/s] Flue gas mass flow [g/s]	NNF - 40 14 3717	12 340
Flue gas values Flue gas mass flow [g/s] Flue gas mass flow [g/s]	NNF - 40 14 3717	12 340

Connectivity to the central heating system

General technical approval for room sealed operation

On behalf of the manufacturer, the HKI Industrieverband e.V. hereby confirms compliance with the respective requirements* in accordance with 1.BImSchV. The type test report of the fireplace has been submitted to the HKI Industrieverband e.V.

¹⁾ For unsealed operation it is possible to install the appliances to a shared flue system (please see installation manual).

^{*} A green check mark with a "1" indicates that the requirements of the 1st BImSchV are fulfilled, a green check mark with a "2" indicates that the 2nd level of the 1st BImSchV is fulfilled. A yellow check mark shows that the transitional regulation of the 1st BImSchV is fulfilled and a red line means that the 1st BImSchV is not fulfilled.

Norm DIN EN 13240: Roomheater for wood logs	Evaluation
J - Regulation (EU) 2015/1185 (Ecodesign)	✓
1.BImSchV	Stufe 2
Austrian regulation referred to Art 15a B-VG	✓
- Swiss clean air act	✓
Crédit d'impôt à la transition énergétique	7☆
talian Decree No. 186	*

Evaluation of emission data and efficiency Lignite briquettes

Norm DIN EN 13240 (Intermittent burning): Roomheater with flat-layer firing

Evaluation

D - 1.BImSchV



No symbol means that there are no requirements.

No measuring values are available for this fuel, operation with this fuel is not permitted

Here you will find further information