

Appliances properties: Justus GmbH - 5609-7 Luton - 5608 80

Master data	
Date of entry	Dec 10, 2010
Manufacturer	Justus GmbH
Model	5609-7 Luton
Product code	5608 80
Nominal heat output [kW]	7
Continuous burning appliance	_
Type test standard	DIN EN 13240
Year of testing	2008
Test laboratory	Strojirensky Zkusebni Ustav s.p.
Number of test laboratory	19
Number of test report	RRF-40 09 2092

Flue	aas	values	

	Wood
Flue gas mass flow [g/s]	10
Flue gas mass flow [g/s]	350
Necessary flue draught [Pa]	10

Further important characteristics of the appliance

Suitability for installation to a shared flue $^{1)}$



Connectivity to the central heating system



General technical approval for room sealed operation

On behalf of the manufacturer, the HKI Industrieverband e.V. hereby confirms compliance with the respective requirements* in accordance with 1.BImSchV. The type test report of the fireplace has been submitted to the HKI Industrieverband e.V.

¹⁾ For unsealed operation it is possible to install the appliances to a shared flue system (please see installation manual).

^{*} A green check mark with a "1" indicates that the requirements of the 1st BImSchV are fulfilled, a green check mark with a "2" indicates that the 2nd level of the 1st BImSchV is fulfilled. A yellow check mark shows that the transitional regulation of the 1st BImSchV is fulfilled and a red line means that the 1st BImSchV is not fulfilled.

Norm DIN EN 13240: Roomheater for wood logs Evaluation EU - Regulation (EU) 2015/1185 (Ecodesign) ✓ D - 1.BImSchV Stufe 1 Grandfathering CH - Swiss clean air act ✓ DK - Danish regulation for air pollution from wood burners ✓ F - Crédit d'impôt à la transition énergétique ✓

Evaluation of emission data and efficiency Wood

I - Italian Decree No. 186

EValuation of emission data and efficiency Lignite briquettes EU-Roomheater accroding to EN 13240 EU - Regulation (EU) 2015/1185 (Ecodesign) D - 1.BlmSchV

According to the transitional rule §26 the appliance can be used until 31.12.2024



No symbol means that there are no requirements.

No measuring values are available for this fuel, operation with this fuel is not permitted

Here you will find further information