

## Appliances properties: Oranier Heiztechnik GmbH - 4633-7 Regina II - 4633 07

Master data

Date of entry Sep 23, 2010

Manufacturer Oranier Heiztechnik GmbH

Model 4633-7 Regina II

Product code 4633 07

Nominal heat output [kW]

Continuous burning appliance

Type test standard DIN EN 13240

Year of testing 2006

**Test laboratory** Strojirensky Zkusebni Ustav s.p.

Number of test laboratory 1

Number of test report 30-10272/1



Flue gas values

	Wood
Flue gas mass flow [g/s]	10
Flue gas mass flow [g/s]	350
Necessary flue draught [Pa]	10

Further important characteristics of the appliance

Suitability for installation to a shared flue 1)



Connectivity to the central heating system



<sup>1)</sup> For unsealed operation it is possible to install the appliances to a shared flue system (please see installation manual).

On behalf of the manufacturer, the HKI Industrieverband e.V. hereby confirms compliance with the respective requirements\* in accordance with 1.BImSchV. The type test report of the fireplace has been submitted to the HKI Industrieverband e.V.

\* A green check mark with a "1" indicates that the requirements of the 1st BImSchV are fulfilled, a green check mark with a "2" indicates that the 2nd level of the 1st BImSchV is fulfilled. A yellow check mark shows that the transitional regulation of the 1st BImSchV is fulfilled and a red line means that the 1st BImSchV is not fulfilled.

Stufe 1 Grandfathering
<b>*</b>

Evaluation of emission data and efficiency Wood

Evaluation of emission data and efficiency Lignite briquettes	
orm DIN EN 13240 (Intermittent burning): Roomheater with flat-layer firing	Evaluation
Jorm DIN EN 13240 (Intermittent burning): Roomheater with flat-layer firing  0 - 1.BImSchV	Evaluation Stufe 2



No symbol means that there are no requirements.

No measuring values are available for this fuel, operation with this fuel is not permitted

Here you will find further information